

## CH101 - Quantum Numbers Handout

## Wavefunctions, Quantum Numbers, and the nature of electrons

Electrons in atoms behave as waves (delocalized).


Attempts to “measure”  $e^-$ 's cause them to localize (particle).

The picture in the book is the result of **many** electrons measured! 1 electron (b) = 1 dot in (a)

The Wavefunction ( $\psi$ ) of an electron is the MATHEMATICAL function describing the electron wave.

Just like  $\sin(x)$  describes a 1D wave,  $\psi$  is a function of  $(n, l, m_l, m_s)$ : that describes the 3D wave that IS the electron.

$n, l, m_l, m_s$  are the quantum numbers that describe the wave!



1

## CH101 - Quantum Numbers Handout

Quantum numbers ( $n, l$ )

$n$  = total # of loops (or # nodes–1) (principal quantum number)

→ Energy of the wave:  $E_n = -(2.18 \text{ aJ})Z^2/n^2$

→ Size of the wave: radius =  $52.9 \text{ pm } n^2/Z$

$l$  = # of nodal planes (0, ...,  $n-1$ ) (azimuthal quantum number)

→ Wave of the shape (sphere, dumbbell, etc)



2

## Quantum numbers ( $m_l, m_s$ )

$m_l$  magnetic quantum number  $0, \pm 1, \dots \pm l$   
 ( $m_l$  is about the orientation)  
 (Check out [falstad.com/qmatom](http://falstad.com/qmatom) to visualize them!)

$m_l = 0:$	$p_z$	$d_{z^2}$	
$m_l = \pm 1:$	$p_x, p_y$	$d_{xz}$	$d_{yz}$
$m_l = \pm 2:$		$d_{x^2-y^2}$	$d_{xy}$

$m_s$  spin quantum number  $-\frac{1}{2}, +\frac{1}{2}$


Nothing is spinning!!

This is an intrinsic property of the electron (no reason) –  
 magnets have two orientations, so too here.



3

## Electrons have a quantized magnetic moment



- **Stern and Gerlach** using silver atoms (which have a single valence electron)
- Silver atoms travelling through an uneven magnetic field are **deflected up or down**: (1) furnace, (2) beam of silver atoms, (3) inhomogeneous magnetic field, (4) classically expected result, (5) observed result.
- Electrons have a **magnetic moment** that can be aligned in **only two opposite directions**.
- The magnetic moment was thought to be due to the electron spinning on its axis. We now know this is **not the case** (it would have to spin **unphysically fast**).

Rather, it is now understood instead to be an **intrinsic property of the electron**.

Nonetheless, the magnetic moment is referred to as the “**spin**” of the electron.



4

## Common parlance and notation

**Electron:** unique set of 4 QN's ( $n, l, m_l, m_s$ ) that describe a unique wave

- Two electrons cannot have the same set of QNs (Pauli exclusion principle)
- The electron **IS** the **WAVE** (e.g.,  $\psi_{1s}, m_s = +1/2$ )

**Orbital:** the unique set of first three QNs for an electron in an atom ( $n, l$ , and  $m_l$ )

- There can be **exactly two** electrons with the same ( $n, l$ , and  $m_l$ )
- The electron isn't **IN** the orbital; it **IS** the orbital (e.g.,  $\psi_{3d_{xy}}$ )

**Subshell:** subset of the orbitals with the same energy and shape ( $n$  and  $l$ )

- e.g., 2p subshell is  $2p_x + 2p_y + 2p_z$ ; 4d subshell is  $4d_{xy}, 4d_{yz}, 4d_{xz}, 4d_{x^2-y^2}, 4d_{z^2}$

**Shell:** set of (degenerate, in H) orbitals (same energy, same  $n$ )

