

References:

Vathipadiekal, V., Alsultan, A., Baltrusaitis, K., Farrell, J.J., Al-Rubaish, A.M., Al-Muhanna, F., Naserullah, Z., Alsuliman, A., Patra, P.K., Milton, J.N., Farrer, L.A., Chui, D.H.K., Al-Ali, A.K., Sebastiani, P., Steinberg, M.H. Homozygosity for a haplotype of the HBG2-OR51B4 region is exclusive to Arab-Indian haplotype sickle cell anemia. Am. J. Hematol 2016. E308-11, doi:10.1002/ajh.24368. PMID: 27185208.

Bae, H., Monti, S., Montano, M., Steinberg, M.H., Perls, T.T., Sebastiani, P. Learning Bayesian networks from correlated data..Sci Rep. 2016 May 5;6:25156. doi: 10.1038/srep25156.PMID: 27146517.

Dai, Y., Sangerman, J., Nouraie, M., Faller, A.D., Oneal, P., Rock, A. Owoyemi,O., Niu, X., Nekhai, S., Maharaj, D., Cui, S., Taylor, R., Steinberg, M., Perrine, S. Effects of hydroxyurea on F-cells in sickle cell disease and potential impact of a second fetal globin inducer. Am. J. Hematol. 2016. doi: 10.1002/ajh.24590. PMID:27766663.

Akinsheye, I., Solovieff, N., Ngo, D., Malek, A., Sebastiani, P., Steinberg, M.H., Chui, D.H.K. Fetal hemoglobin in sickle cell anemia: Molecular characterization of the unusually high fetal hemoglobin phenotype in African Americans. Am. J. Hematol 87: 217, 2012.

Dworkis, D.A., Klings, E., Shenouda, S., Solovieff, N., Melista, E., Giovannucci, C., Safaya, Li, G., S., Vita, J., Steinberg, M. H., Baldwin, C.T. ARGEF2 knockdown enhances TNF- α induced endothelial expression of the cell adhesion molecules VCAM1 and ICAM1. Open J. Blood Dis. 3: 25, 2013.

Sebastiani, P., Riva, A, Montano, M, Pham, P, Torkamani, A., Scherba, E., Benson, G., Milton, J., Baldwin, C. T., Andersen, S., Schork, N.J., Steinberg , M.H., Perls, T.T. Whole genome sequences of a male and female supercentenarian, ages greater than 114 years. Frontiers in Genet. Aging. 2:90.doi:10.3389/fgene.2011.00090.

Milton, J.N., Sebastiani, P., Solovieff, N., Hartley, S.W., Bhatnagar, P., Arking, D.E., Dworkis, D.A., Casella, J.F., Barron-Casella, E., Bean, C.J., Hooper, W.C., DeBaun, M.R., Garrett, M.E., Soldano, K., Telen, M.J., Ashley-Koch, A., Gladwin, M.T., Baldwin, C.T., Steinberg M.H., Klings, E.S. A genome-wide association study of total bilirubin and cholelithiasis risk in sickle cell anemia Plos One 7(4):e34741. Epub 2012 Apr 27.

Safaya, S., Steinberg, M.H., Klings, E.S. Monocytes from sickle cell disease patients induce differential pulmonary endothelial gene expression via activation of NF- κ B. Mol. Immunol. doi.org/10.1016/j.bbr.2011.03.031, 2012.

Alsultan, A., Ngo, D.A., Farrell, J.J., Akinsheye, I., Solovieff, N., Ghabbour, H.A., Al-Ali, A., Alsuliman, A., Al-Baghshi, M., Albu-Ali, W., Alabdulaali, M., Baldwin, C.T., Farrer, L.A., Luo, H., Melista, E., Safaya, S., Nwaru, M. Jr., Chui, D.H.K., Steinberg, M.H. A functional promoter

polymorphism of the δ -globin gene is a specific marker of the Arab-Indian haplotype. Am. J. Hematol 87: 824, 2012 doi: 10.1002/ajh.23239.

Watanabe, M., Saito, N., Nadgir, R.N., Liao, J.H., Flower, EN., Steinberg, M.H., Sakai, O. Craniofacial bone infarcts in sickle cell disease: clinical and radiological manifestations. J. Comput. Asst. Tomogr. 37: 91, 2013.160.

Bae, H., Baldwin, C.T., Steinberg, M.H., Sebastiani, P., Milton, J.N., Chui, D.H.K., Telen, M., Ashley-Koch, A., Garrett, M., Soldano, K., Hooper, C., Bean, C., DeBaun, M.R., Arking, D., Bhatnagar, P., Casella, J., Keefer, J., Barron-Casella, E., Kato,, G., Minniti, C., Taylor, J.T., Campbell, A., Luchtman-Jones, L., Rana, S., Castro, O., Hoppe, C., Kuipers, F., Gladwin, M.T., Zhang, Y. Meta-analysis of 2040 sickle cell anemia patients confirms *BCL11A* and the *HBS1I-MYB* intergenic interval as the major genetic modifiers of fetal hemoglobin in African Americans. Blood 120:1961, 2012.

Belfer, I., Youngblood, V., Darbari, D.S., Wang ,Z., Diaw, L., Freeman, Desai, K., Dizon, M., Allen, D., Cunningham, C., Channon, K., Milton, J.T., Hartley, S.W., Nolan, V.G., Kato, G.J., Steinberg, M.H., Goldman, D., Taylor, J.G. VI. A *GCH1* haplotype confers sex specific susceptibility to pain crises and altered endothelial function in adults with sickle cell anemia. 2013. Am. J. Hematol. 89:187, 2014.

Ngo, D., Bae, H., Steinberg, M.H.. Sebastiani, P., Solovieff, N., Baldwin, C.T., Melista, E., Safaya, S., Farrar, L.A., Suliman A.M., Albuali, W.H., Al Bagshi, M.H., Akinsheye, I., Gallagher, P., Luo, H.-y., Chui, D.H.K., Farrell, J.J., Al-Ali, A.K., Alsultan, A. Fetal hemoglobin in sickle cell anemia: genetic studies of the Arab-Indian haplotype. Blood Cells Mol. & Dis. 51: 22, 2013.

Milton, J.T., Baldwin, C.T., Melista, E., Sebastiani, P., Gordeuk, V.R., Kato, G.T., Minniti, C., Taylor, J.G. IV, Campbell, A., Luchtman-Jones, L., Gladwin, M.T., Zhang, Y., Thein, S.L., Steinberg, M.H. Genetic determinants of haemolysis in sickle cell anaemia. Br. J. Haematol. 161, 270, 2013.

Hartley, S., Monti, S., Liu, C.-T., Steinberg, M.H., Sebastiani, P. Bayesian methods for multivariate modeling of pleiotropic SNP associations and genetic risk prediction. Frontiers in App. Genet. Epidemiol. 3:176. doi:10.3389/fgene. 2012.00176 .

Smith, B.W., Rozelle, S.S., Ubellacker, J., Parks, A., Nah, S.K., French, D., Gadue, P. Monti, S., Chui, D.H.K., Steinberg, M.H., Frelinger, A.L., Michelson, A.D., McComb, M.E., Costello, C.E., Kotton, D.N., Mostoslavsky, G., Sherr, D.H., Murphy, G.J. The aryl hydrocarbon receptor directs hematopoietic progenitor cell expansion and differentiation. Blood. 122: 376, 2013.

Alsultan, A., Ngo, D., Bae, H., Sebastiani, P., Baldwin, C.T., Melista, E., Suliman, A.M., Albuali, W.H., Nasserullah, Z., Luo, H.-y., Chui, D.H.K., Steinberg, M.H., Al-Ali, A.K. Genetic studies of fetal hemoglobin in the Arab-Indian haplotype sickle cell- β^0 thalassemia. Am. J. Hematol.88: 531, 2013.

Liao, J.H., Jara, H., Nadgir, R., Elias, E., Nowrouz, N., Saito, N., Steinberg, M.H., Sakai, O. qMRI relaxometry of mandibular bone marrow: A monomodal distribution in sickle cell disease. *J Magn. Reson. Imaging.* 37:1182, 2013.

Elias, E.J., Liao, J.H., Jara, H., Watanabe, M., Nadgir, R.N., Sakai, Y., Erbay, K., Saito, N., Ozonoff, A., Steinberg, M.H., Sakai, O. Quantitative MRI analysis of craniofacial bone marrow in patients with sickle cell disease. *AJNR Am. J. Neuroradiol.* 34:622, 2013

Bhatnagar, P., Barron-Casella, E., Bean, C.J., Milton, J.N., Baldwin, C.T., Steinberg, M.H., DeBaun, M., Casella, J.F., Arking, D.E. Genome-wide meta-analysis of systolic blood pressure in children with sickle cell disease. *PLoS One* 2013. Sep 13; 8(9):e74193. doi: 10.1371/journal.pone.0074193.

Barbosa, C.G., Aleluia, A.C.M., Souza, A.PpA., Paz, S.S., Zanette A.M., Goncalves-Santos, N.J., Seixas, M.O., Nascimento, V.M. Rocha, L.C., Steinberg, M.H., Milton, J.N., Goncalves, M.S. Genetic modulation of HbF in Brazilians with HbSC disease and sickle cell anemia. *Am. J. Hematol.* 88: 923, 2013.

Rigano, P., Pecoraro, A., Calvaruso, G. Steinberg, M.H., Iannello, S., Maggio, A. Cerebrovascular events in sickle cell-beta thalassemia treated with hydroxyurea: a single center prospective survey in adult Italians. *Am. J. Hematol.* 88: E261, 2013.

Zhang, X., Zhang, W., Ma, S.-F., Desai, A.A., Saraf, S., Miasniakova, G., Sergueeva, A., Ammosova, T., Xu, M., Nekhai, S., Abbasi, T., Casanova, N., Steinberg, M.H., Baldwin, C.T., Sebastiani, P., Prchal, J.T., Kittles, R., Garcia, J.G.N., Machado, R.F., Gordeuk, V.R. Hypoxic response contributes to altered gene expression and pulmonary pre-capillary pulmonary hypertension in patients with sickle cell disease. *Circulation* 129: 110, 2014.

Bae, H.T., Perls, T.T., Steinberg, M.H., Sebastiani, P. Bayesian polynomial regression models to fit multiple genetic models for quantitative traits. *Bayesian Anal.* 10: 53, 2015

Buch, K., Watanabe, M., Elias, E.J., Liao, J.H., Jara, H., Nadgir, R.N., Saito, N., Steinberg, M.H., Sakai, O. Quantitative MRI analysis of the lacrimal gland in sickle cell disease. *J. Comp. Asst. Tomography.* 38: 674, 2014.

Alsultan, A., Alabdulaali, M.K., Griffin, P.J., AlSuliman, A.M., Ghabbour, H.A., Sebastiani, P., Chui, D.H.K., Albuali, W.H., Al-Ali, A.K., Steinberg, M.H. Sickle cell disease in Saudi Arabia: The phenotype in adults with the Arab-Indian haplotype is not benign. *Br. J. Haematol.* 164: 597, 2014.

Steinberg, M.H., Chui, D.H.K., Dover, G.J., Sebastiani, P., Alsultan, A. Fetal hemoglobin in sickle cell anemia: a glass half full? *Blood* 123: 411, 2014.

Pecoraro, A., Rigano, P., Troia, A., Calzolari, R., Scazzone, C., Maggio, A., Steinberg, M.H., Marzo R.D. Quantification of HBG mRNA in primary erythroid cultures: prediction of the response to hydroxyurea in sickle cell and beta thalassemia. *Eur. J. Haematol.* 92: 66, 2014.

Milton, J.N., Gordeuk, V.R., Taylor, J.G., VI, Gladwin, M.T., Steinberg, M.H., Sebastiani, P. Prediction of fetal hemoglobin in sickle cell anemia using an ensemble of genetic risk prediction models. *Circ.:Cardiovascular Genet.* 7:110, 2014.

Calvaruso, G., Vitrano, A., Di Maggio, R., Ballas, S., Steinberg, M.H., Rigano, P., Sacco, M., Telfer, P., Renda, D. Barone, R., Maggio, A. and the Investigators of the Multicenter Randomized Clinical Trial of Deferiprone versus Deferoxamine in Sickle-Cell-Disease. Deferiprone versus deferoxamine in sickle cell disease: results from 5-year long-term Italian multi-center randomized clinical trial. *Blood Cells Mol. Dis.* 2014 doi.org/10.1016/j.bcmd.2014.04.004.

Griffin, P.J., Sebastiani, P., Edward, H., Baldwin, C.T., Gladwin, M.T., Gordeuk, V.G., Chui, D.H.K., Steinberg, M.H. The genetics of hemoglobin A₂ regulation in sickle cell anemia. *Am. J. Hematol.* 89: 1019, 2014.

Borgio, J.F., Abdul Azeez, A., Al-Nafie, A.N., Naserullah, Z.A., Al-Jarrash, S., Al-Madan, M.S., Al-Muhanna, F., Steinberg, M.H., Al-Ali, A.K. A novel HbA₂ gene conversion in cis or trans: "α12 allele" in a Saudi population. *Blood Cells Mol. Dis.* doi: 10.1016/j.bcmd.2014.07.001.

Milton, J.N. Steinberg, M.H., Sebastiani, P. Evaluation of an ensemble of genetic risk score models for prediction of a quantitative trait. *Front.Genet.* 13 January 2015 | doi: 10.3389/fgene.2014.00474.

Sebastiani, P., Farrell, J.J., Alsultan, A., Wang, S., Edward, H.L., Shappell, H., Bae, H., Baldwin, C.T., Al-Rubaish, A.M., Naserullah, Z., Al-Muhanna, F., Alsuliman, A., Patra, P.K., Farrer, L.A., Ngo, D., Chui, D.H.K., Al-Ali, A., Steinberg, M.H. *BCL11A* enhancer haplotypes and sickle cell anemia. *Blood Cells Mol. Dis.* 54: 244, 2015. doi.org/10.1016/j.bcmd.2015.01.001.

Al-Nafie Awatif, N., Borgio, J.F., AbdulAzeez, S., Al-Suliman, A.M., Qaw, F.S., Naserullah, Z.A., Al-Jarrash, S., Al-Madan, M.S., Al-Ali, R.A., AlKhalifah, M.A., Al-Muhanna, F., Steinberg, M.H., Al-Ali, A.K. Co-inheritance of novel *ATRX* gene mutation and globin (α & β) gene mutations in transfusion dependent beta-thalassemia patients. *Blood Cells Mol. Dis.* 55: 27, 2015 doi: 10.1016/j.bcmd.2015.03.008.

Zhang, X., Zhang, W., Saraf, S.L., Nouraie, M., Han, J., Gowhari, M., Hassan, J., Miasnikova, G., Sergueeva, A., Nekhai, S., Kittles, R., Machado, R.F., Garcia, J.G., Gladwin, M.T., Steinberg, M.H., Sebastiani, P., McClain, D.A., Gordeuk, V.R. Genetic polymorphism of *APOB* is associated with diabetes mellitus in sickle cell disease. *Hum. Genet.* 2015 doi 10.1007/s00439-015-1572-3.

Jiang, Z., Luo, H.-y., Huang, S., Farrell, J.J., Davis,L., Théberge, R., Benson,K.A., Rioluteang,S., Viprakasit, V., Al-Allawi, N.A.S., Ünal, S., Gümrük, F., Akar, N., Başak, A.N., Osorio, L.,

Badens, C., Pissard,S., Joly, P., Campbell, A.D., Gallagher, P.G., Steinberg, M.H., Forget, B.G., Chui, D.H.K. The genetic basis of asymptomatic codon 8 frame-shift β^0 -thalassaemia homozygotes. Br. J. Haematol. 172: 958, 2016. PMID 26372199.

Borgio, J.F., AbdulAzeez, S., Naserullah, Z.A., Al-Jarrash, S., Al-Ali, R.A., Al-Madan, M.S., Muhanna, F., Al-Suliman, A.M., Al-Nafie A., Steinberg, M.H., Al-Ali, A.K. Mutations in the β -globin gene from a Saudi population: An update. Int. J. Lab. Hematol. 38: e38, 2016. PMID: 26822801.

Liu, L. Pertsemlidis, A., Ding, L-H, Story, M.D., Steinberg, M.H. Sebastiani, P., Hoppe, C., Ballas, S.K., Pace, B.S. A case-control genome-wide association study identifies genetic modifiers of fetal hemoglobin in sickle cell disease. Exptl. Biol.Med. 2016 . pii: 1535370216642047 PMID 27022141.

Shaikho, E.M., Habara, A.H., Alsultan, A., Al-Rubaish, A.M., Al-Muhanna, F., Naserullah, Z., Alsuliman, Qutub, H.O., A., Patra, P.K., Sebastiani, P., Baltrusaitis, K., Farrell, J.J., Jiang, Z., Luo, H-Y, Chui, D.H.K., Al-Ali, A.K., Steinberg, M.H. Variants of ZBTB7A (LRF) and its β -globin gene cluster binding domains and HbF in sickle cell anemia. Blood Cells Mol. Dis. 59: 49, 2016.doi.org/10.1016/j.bcmd.2016.04.001.PMID: 27282567.

Vathipadiekal, V., Farrell,J.J, Wang, S., Edward, H.L., Shappel, H., Al-Rubaish, A.M., Al-Muhanna, F., Naserullah, Z., Alsuliman, A., Othman, H., Simkin, I., Farrer, L.A., Jiang, Z., Luo, H-Y., Huang, S., Mostoslavsky, G., Murphy, G., Patra, P.K., Chui, D>H>K., Alsultan, A., Al-Ali, A.K., Sebastiani, P., Steinberg, M.H. A candidate trans-acting modulator of fetal hemoglobin gene expression in the Arab-Indian haplotype of sickle cell anemia. Am. J. Hematol. 91: 1118, 2016.doi: 10.1002/ajh.24527 PMID: 27501013.

Jiang, Z., Luo, H.-L., Farrell, J., Zhang, Z., Schultz, V.P., Albarawi, D., Steinberg, M.,H, Al-Allawi, N.A.S., Gallagher, P., Forget, B.G., Chui,D.H.K. A variant Sp1 (R218Q) transcription factor might enhance HbF expression in β^0 -thalassaemia homozygotes. Br. J. Haematol. 172:958-6520 doi: 10.1111/bjh.13909. PMID: 26771086 2016.

Park, S., Gianotti-Sommer, A., Molina-Estevez, F.J., Vanuystel, K., Skvir, N., Leung, A., Rozelle, S.S., Shaikho, E.M., Weir, I., Jiang, Z., Luo, H-Y., Chui, D.H.K., Figueiredo, M., Alsultan, A., Al-Ali, A., Sebastiani, P., Steinberg, M.H., Mostoslavsky, G., Murphy, G.J. A comprehensive, ethnically diverse library of sickle cell disease-specific induced pluripotent stem cells. Stem Cell Rpts. 8: 1076, 2017.195.

Dai, Y., Sangerman, J., Nouraie, M., Faller, A.D., Oneal, P., Rock, A. Owoyemi,O., Niu, X., Nekhai, S., Maharaj, D., Cui, S., Taylor, R., Steinberg, M., Perrine, S. Effects of hydroxyurea on F-cells in sickle cell disease and potential impact of a second fetal globin inducer. Am. J. Hematol. 92: E10, 2017. doi: 10.1002/ajh.24590. PMID:27766663.

Aleluia, M.M., Santiago, R.P., Conceição da Guarda, C., Fonseca, T.C.C., Neves, F.I.Souza, R.Q., Figueiredo, C.V.B., Yahouedehou, S.C.M.A., Oliveira, R.M., Ferreira, J.R.D, Cerqueira, B.A.V., Barbosa, C.G., Milton, J.N., Steinberg, M.H., Gonçalves, M.D.S. Genetic modulation of fetal hemoglobin in hydroxyurea-treated sickle cell anemia. Am. J. Hematol. 92: E70, 2017.

Cyrus,C., Vatte,C., Borgio, J.F., Al-Rubaish, A., Chathoth,S., Nasserullah, Z.A., Al Jarrash, S., Sulaiman, A., Qutub, H., Alsalem, H., Alzahrani, A.J., Steinberg, M.H., Al Ali, A.K. Existence of HbF enhancer haplotypes at *HBS1L-MYB* intergenic region in transfusion-dependent Saudi β -thalassemia patients. BioMed Res. International. article ID 1972429. doi.org/10.1155/2017/1972429.

Chaturvedi, S., Bhatnagar, P., Bean, C.J., Steinberg, M.H., Milton, J., Casella, J., Barron-Casella, E.A., Arking, D., DeBaun, M.R. Genome-wide association study to identify variants associated with vaso-occlusive pain in sickle cell anemia. Blood 2017. doi: 10.1182/blood-2017-02-769661 PMID: 28584135.

Dai, Y., Chen, K.T., Ljaz, H., Cho, E., Steinberg, M.H. *SIRT1* activates the expression of fetal hemoglobin genes. Am. J. Hematol doi 10.1002/ajh24879, 2017, PMID:28776729.

Shaikho, E.M., Farrell, J.J., Alsultan, A., Sebastiani, P., Steinberg, M.H. Genetic determinants of HbF in Saudi Arabian and African Benin haplotype sickle cell anemia. Am. J. Hematol. doi: 10.1002/ajh.24822, 2017.

Shaikho, E.M , Farrell, J.J. Alsultan, A., Qutub,, H., Al-Ali,, A., Figueiredo, M.S., Chui, D.H.K., Farrer, L.A., Murphy, G.J., Mostoslavsky, G., Sebastiani, P., Steinberg, M.H .A phased SNP-based classification of sickle cell anemia *HBB* haplotypes. BMC Genomics doi:10.1186/s12864-017-4013, 2017

Goldsmith, J.C., Noonan, A.S., Joiner, C.H., Bonham, V.L., Kato, G.J., Steinberg, M.H. Framing the research agenda for sickle cell trait: Building on the current understanding of clinical events and their potential implications. Am. J. Hematol. 87: 340, 2012.

Verhovsek, M., Sha, N., Wilcox, I., Koenig, S., Barros, T., Thornburg, C., Steinberg, M.H., Luo, H-y., Chui, D.H.K. Severe fetal and neonatal hemolytic anemia due to a 198 kb deletion removing the complete β -globin gene cluster. Ped. Blood and Cancer. 59: 941, 2012.

Steinberg, M.H., Sebastiani, P. Genetic modifiers of sickle cell disease. Am. J. Hematol. 87: 795, 2012.

Steinberg, M.H., Chui, D.H.K. Hemoglobin C disorders. Blood 132: 3698, 2013.

Ngo, D., Steinberg, MH. Hematology: Sickle cell disease. Hematology 19: 244, 2014.

Steinberg, M.H., Thein, S.W. Fetal hemoglobin in health and disease. UpToDate www.uptodate.com, 2014.

Klings, E.S., Machado, R.F., Barst, R.J., Morris, C.R., Mubarak, K.K., Gordeuk, V.R., Kato, G.J., Ataga, K.I., Gibbs, J.S., Castro, O., Rosenzweig, E.B., Sood, N., Hsu, L., Wilson, K.C., Telen, M.J., DeCastro, L.M., Krishnamurti, L., Steinberg, M.H., Badesch, D.B., Gladwin, M.T. An Official American Thoracic Society Clinical Practice Guideline: Diagnosis, risk stratification, and management of pulmonary hypertension of sickle cell disease. Am. J. Resp. Crit. Care Med. 189: 727, 2014.

Steinberg, M.H. More blood for sickle cell anemia? N. Engl. J. Med 371: 775, 2014.

Klings, E.S., Machado, R.F., Morris, C.R., Gordeuk, V.R., Kato, G.J., Ataga, K.I., Castro, O., Hsu, L., Telen, M.J., Krishnamurti, L., Steinberg, M.H., Gladwin, M.T.; ATS Clinical Guidelines for the Diagnosis and Treatment of Pulmonary Hypertension in Sickle Cell Disease Committee. Practice guideline for pulmonary hypertension in sickle cell: direct evidence needed before universal adoption. Am. J. Resp. Crit. Care Med. 190: 238, 2014.

Steinberg, M.H. Nitric oxide-based treatment for sickle cell leg ulcers? Lancet Haematology. Nov 13, 2014. doi:10.1016/S2352-3026(14)00020-9.

Du Pisani, L.A., Rodriguez-Romero, W.E., Chaves-Villalobos, J., Garcia-Quesada, J., Harris, N.S., Luo, H.-Y., Steinberg, M.H., Forget, B.G., Chui, D.H.K. Hb Youngstown β 101(G3)Glu → Ala; HBB: c.305A > C]: An unstable hemoglobin variant causing severe hemolytic anemia. Edward, H.L., Hemoglobin 38: 381, 2014.

Ngo, D., Steinberg, M.H. Genomic approaches to identifying targets for treating β hemoglobinopathies. BMC Medical Genomics. 2015, doi: 10.1186/s12920-015-0120-2 . PMID: 26215470.

Sobota, A., Sabharwal, V., Fonebi, G., Steinberg, M.H. How we prevent and manage infection in sickle cell disease. Br. J. Haematol. 2015 doi 10.1111/bjh.13526.

Akinbami, A.O., Campbell, A.D., Han, Z.J., Luo, H.-Y., Chui, D.H.K., Steinberg, M.H. Hereditary persistence of fetal hemoglobin caused by promoter single nucleotide mutations in sickle cell trait and hemoglobin SC disease. Hemoglobin 40: 64, 2016 PMID 26372199.

Maron, B.J., Harris, K.M., Thompson, P.D., Eichner, E.R., Steinberg, M.H.. Eligibility and disqualification recommendations for competitive athletes with cardiovascular abnormalities: Task Force 14: Sickle Cell Trait: A scientific statement from the American Heart Association and American College of Cardiology. Circulation 13:e343-5, .2015. PMID: 26542668.

Maron, B.J., Harris, K.M., Thompson, P.D., Eichner, E.R., Steinberg, M.H.. Eligibility and disqualification recommendations for competitive athletes with cardiovascular abnormalities: Task Force 14: Sickle Cell Trait: A scientific statement from the American Heart Association and American College of Cardiology. J. Am. Coll. Cardiol. 66: 2444, 2015. PMID: 26542668.

Steinberg, M.H. Rodgers, G.P. HbA₂: biology, clinical relevance and a possible target for ameliorating sickle cell disease. *Br. J. Haematol* 170: 781, 2015. PMID: 26104837.

Habara, A., Steinberg, M.H. Genetic basis of heterogeneity and severity in sickle cell disease. *Exptl. Biol. and Med.* doi: 10.1177/1535370216636726. 2016. PMID 26936084.

Kato, G.J., Steinberg, M.H., Gladwin, M.T. Intravascular hemolysis and the pathophysiology of sickle cell disease. *J. Clin. Invest.* 127: 750, 2017. doi: 10.1172/JCI89741. Epub 2017 Mar 1 PMID 28248201.

Piel, F.B., Steinberg, M.H., Rees, D.C. Sickle cell disease. *N. Engl. J. Med.* 376: 1561, 2017. doi: 10.1056/NEJMra1510865.

Steinberg, M.H. Go with the flow. *N. Engl. J. Med.* 376: 485, 2017. doi: 10.1056/NEJMe1615651.

Habara, A., Shaikho, E.M., Steinberg, M.H. Fetal Hemoglobin in sickle cell anemia: The Arab-Indian haplotype and new therapeutic agents. *Am. J. Hematol.* 2017 doi: 10.1002/ajh.24872.

Dworkis, D. A., Steinberg, M.H. Sickle Cell Disease, in, *Principles of Metabolism in Health and Disease*; Springer; Lammert E., Zeeb M. (Eds); ISBN-13: 978-3709107140. 289-294, 2014.

Alsultan, A. Steinberg, M.H. Chapter 31, 145-147, Sickle Cell Anemia, in *Clinical Genomics: Practical Application in Adult Patient Care*, Murray, M.F., Babyatsky, M.W., Giovanni, M.A., Alkuraya, F., Stewart, D.R. eds. McGraw Hill, NY, .2014.

Steinberg, MH. Thein, S.L Fetal hemoglobin (hemoglobin F) in health and disease. UpToDate, 2014-2017.

Steinberg, M.H. Overview of Sickle Cell Anemia Pathophysiology, in, *Sickle Cell Anemia: From Basic Science to Clinical Practice*. Costa, A.A., Conran, N., eds, Springer. NY, 2016.

Steinberg, M.H., Benz, E.J. Jr., Adewoye, A.H., Ebert, B.L. Pathobiology of the Human Erythrocyte and its Hemoglobins, Chapter 33 in *Hematology: Basic Principles and Practice*, 7th ed, Hoffman & Benz & Silberstein & Heslop & Weitz & Anastasi, eds, 2017 (in press).

Steinberg, M.H and Verhovsek, M.M.. Sickle Cell Disease as a Multifactorial Condition. in: *Encyclopedia of Life Sciences*, John Wiley & Sons, Ltd: Chichester. doi: 10.1002/9780470015902.a0006021.pub3, 2017.

Smith BW, Stanford EA, Sherr DH, Murphy GJ. Genome Editing of the CYP1A1 Locus in iPSCs as a Platform to Map AHR Expression throughout Human Development.

Stem Cells Int. 2016;2016:2574152. doi: 10.1155/2016/2574152. Epub 2016 Apr 11. PMID: 27148368.

Stanford EA, Wang Z, Novikov O, Mulas F, Landesman-Bollag E, Monti S, Smith BW, Seldin DC, Murphy GJ, Sherr DH. The role of the aryl hydrocarbon receptor in the development of cells with the molecular and functional characteristics of cancer stem-like cells. *BMC Biol.* 2016 Mar 16;14:20. doi: 10.1186/s12915-016-0240-y. PMID: 26984638.

Thomas DD, Sommer AG, Balazs AB, Beerman I, Murphy GJ, Rossi D, Mostoslavsky G. Insulin-like growth factor 2 modulates murine hematopoietic stem cell maintenance through upregulation of p57. *Exp Hematol.* 2016 May;44(5):422-433.e1. doi: 10.1016/j.exphem.2016.01.010. Epub 2016 Feb 10. PMID: 26872540.

Wilson AA, Ying L, Liesa M, Segeritz CP, Mills JA, Shen SS, Jean J, Lonza GC, Liberti DC, Lang AH, Nazaire J, Gower AC, Müller FJ, Mehta P, Ordóñez A, Lomas DA, Vallier L, Murphy GJ, Mostoslavsky G, Spira A, Shirihai OS, Ramirez MI, Gadue P, Kotton DN. Emergence of a stage-dependent human liver disease signature with directed differentiation of alpha-1 antitrypsin-deficient iPS cells.

Leung A, Murphy GJ. Multisystemic Disease Modeling of Liver-Derived Protein Folding Disorders Using Induced Pluripotent Stem Cells (iPSCs). *Methods Mol Biol.* 2016;1353:261-70. doi: 10.1007/7651_2014_194. PMID: 25646614.

Smith BW, Murphy GJ. Stem cells, megakaryocytes, and platelets. *Curr Opin Hematol.* 2014 Sep;21(5):430-7. doi: 10.1097/MOH.0000000000000064. Review. PMID: 25023469.

Leung A, Nah SK, Reid W, Ebata A, Koch CM, Monti S, Genereux JC, Wiseman RL, Wolozin B, Connors LH, Berk JL, Seldin DC, Mostoslavsky G, Kotton DN, Murphy GJ. Induced pluripotent stem cell modeling of multisystemic, hereditary transthyretin amyloidosis.

Stem Cell Reports. 2013 Oct 31;1(5):451-63. doi: 10.1016/j.stemcr.2013.10.003. eCollection 2013. PMID: 24286032.

Gianotti-Sommer A, Rozelle SS, Sullivan S, Mills JA, Park SM, Smith BW, Iyer AM, French DL, Kotton DN, Gadue P, Murphy GJ, Mostoslavsky G. StemBook Generation of human induced pluripotent stem cells from peripheral blood using the STEMCCA lentiviral vector. [Internet]. Cambridge (MA): Harvard Stem Cell Institute; 2008-. 2013 Apr 29. PMID: 23658981.

Sommer AG, Rozelle SS, Sullivan S, Mills JA, Park SM, Smith BW, Iyer AM, French DL, Kotton DN, Gadue P, Murphy GJ, Mostoslavsky G. Generation of human induced pluripotent stem cells from peripheral blood using the STEMCCA lentiviral vector. *Vis Exp.* 2012 Oct 31;(68). pii: 4327. doi: 10.3791/4327. PMID: 23149977.

Jagadeeswaran R, Vazquez BA, Thiruppathi M, Ganesh BB, Ibanez V, Cui S, Engel JD, Diamond AM, Molokie RE, DeSimone J, Lavelle D, Rivers A. Pharmacological inhibition of LSD1 and mTOR reduces mitochondrial retention and associated ROS levels in the red blood cells of sickle cell

disease..*Exp Hematol.* 2017 Jun;50:46-52. doi: 10.1016/j.exphem.2017.02.003. Epub 2017 Feb 24.PMID: 28238805.

Ibanez V, Vaitkus K, Rivers A, Molokie R, Cui S, Engel JD, DeSimone J, Lavelle D. Efficacy and safety of long-term RN-1 treatment to increase HbF in baboons. *Blood.* 2017 Jan 12;129(2):260-263. doi: 10.1182/blood-2016-10-746727. Epub 2016 Dec.

Rivers A, Vaitkus K, Ibanez V, Ruiz MA, Jagadeeswaran R, Saunthararajah Y, Cui S, Engel JD, DeSimone J, Lavelle D The LSD1 inhibitor RN-1 recapitulates the fetal pattern of hemoglobin synthesis in baboons (*P. anubis*)..*Haematologica.* 2016 Jun;101(6):688-97. doi: 10.3324/haematol.2015.140749. Epub 2016 Feb 8.PMID: 26858356.

Cui S, Lim KC, Shi L, Lee M, Jearawiriyapaisarn N, Myers G, Campbell A, Harro D, Iwase S, Trieval RC, Rivers A, DeSimone J, Lavelle D, Saunthararajah Y, Engel JD.The LSD1 inhibitor RN-1 induces fetal hemoglobin synthesis and reduces disease pathology in sickle cell mice. *Blood.* 2015 Jul 16;126(3):386-96. doi: 10.1182/blood-2015-02-626259. Epub 2015 Jun 1.PMID: 26031919.

Cui S, Tanabe O, Sierant M, Shi L, Campbell A, Lim KC, Engel JD. Compound loss of function of nuclear receptors Tr2 and Tr4 leads to induction of murine embryonic β-type globin genes. *Blood.* 2015 Feb 26;125(9):1477-87. doi: 10.1182/blood-2014-10-605022. Epub 2015 Jan 5. PMID: 25561507.

Shi L, Sierant MC, Gurdziel K, Zhu F, Cui S, Kolodziej KE, Strouboulis J, Guan Y, Tanabe O, Lim KC, Engel JD Biased, non-equivalent gene-proximal and -distal binding motifs of orphan nuclear receptor TR4 in primary human erythroid cells..*PLoS Genet.* 2014 May 8;10(5):e1004339. doi: 10.1371/journal.pgen.1004339. eCollection 2014 May.PMID: 24811540.

Developmental transcriptome analysis of human erythropoiesis. Shi L, Lin YH, Sierant MC, Zhu F, Cui S, Guan Y, Sartor MA, Tanabe O, Lim KC, Engel JD. *Hum Mol Genet.* 2014 Sep 1;23(17):4528-42. doi: 10.1093/hmg/ddu167. Epub 2014 Apr 29. PMID: 24781209.

Cui S, Tanabe O, Lim KC, Xu HE, Zhou XE, Lin JD, Shi L, Schmidt L, Campbell A, Shimizu R, Yamamoto M, Engel JD. PGC-1 coactivator activity is required for murine erythropoiesis. *Mol Cell Biol.* 2014 Jun;34(11):1956-65. doi: 10.1128/MCB.00247-14. Epub 2014 Mar 24. PMID: 24662048.

Shi L, Cui S, Engel JD, Tanabe O. Lysine-specific demethylase 1 is a therapeutic target for fetal hemoglobin induction. *Nat Med.* 2013 Mar;19(3):291-4. doi: 10.1038/nm.3101. Epub 2013 Feb 17.PMID: 23416702.

Cancio MI, Aygun B, Chui DHK, Rothman JA, Scott JP, Estepp JH, Hankins JS. The clinical severity of hemoglobin S/Black (A γδβ)0 -thalassemia. *Pediatr Blood Cancer*. 2017 Apr 28. doi: 10.1002/pbc.26596. PMID: 28453928.

Pernudy-Ubau A, Salinas-Molina J, Requenez Y, Ortiz-Lopez M, Puller AC, García-Rosales K, Rodríguez-Estrada A, Rodríguez-Romero W, Mejía-Baltodano G, Luo HY, Chui DHK. Hemoglobin Hb Presbyterian (HBB: c.327C>G) in a Nicaraguan Family.. 2017 Jan;41(1):50-52. doi: 10.1080/03630269.2017.1302949. Epub 2017 Apr 11. PMID: 28395541.